



PRO7 DAMA S4

INDUSTRY-CONSTRUCTION & CIVIL ENGINEERING

Foot protection



Specific benefits



Comfort

· Washable soft and elastic PU foam insole with breathability and thermal protection.



Performance

· Sanitized® protection that reduces the proliferation of fungi and bacteria, providing greater freshness to the user.
· Greater chemical resistance thanks to its high-performance sole.



Easy to use

· Multitrack non-slip sole, oil resistant.

Certifications and norms



ASTM F2413

ASTM F2413-18 I/75, C/75

Technologies and labels



SANITIZED®

Applications

- Agriculture
- Fishing
- Public Works
- Building
- Finishing Works/Craftsmanship
- Manufacturing/Transformation



PRO7 DAMA S4

INDUSTRY-CONSTRUCTION & CIVIL ENGINEERING

Foot protection

Standards - Details

Technical details

Type of Shoe	Boot
Upper material and finition	PVC
Upper height size 42 (cm)	33
Safety toe-cap	Stainless steel
Lining material	Textile
Footbed material	PU
Footbed characteristic	Removable
Outsole material	Nitrile
Outsole finition	Injected
Weight (g per shoe)	900
Size range	22 → 25








PRO7 DAMA S4

INDUSTRY-CONSTRUCTION & CIVIL ENGINEERING

Safety footwear

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WMXP7LS4BB22	White-Blue	22	PRO7 DAMA S4	7502260644107	7502260644107	10	1	15.256 kg	49.0 cm	49.0 cm	39.0 cm
WMXP7LS4BB23	White-Blue	23	PRO7 DAMA S4	7502260644114	7502260644114	10	1	16.296 kg	49.0 cm	49.0 cm	39.0 cm
WMXP7LS4BB24	White-Blue	24	PRO7 DAMA S4	7502260644121	7502260644121	10	1	17.156 kg	49.0 cm	49.0 cm	39.0 cm
WMXP7LS4BB25	White-Blue	25	PRO7 DAMA S4	7502260644138	7502260644138	10	1	19.256 kg	49.0 cm	49.0 cm	39.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height