

VENICUT F XTREM CUT - VENICUTF03

INTENSE CUT WORK

Level F cut-resistant glove, ideal for heavy duty work in dry conditions



Specific benefits



Easy to use

 \cdot Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use



Performance

- · Xtrem CUT fiber for comfort and flexibility combined with the highest level of cut protection on the market
- ·The anti-slip properties of the polyurethane coating provides good

Certifications and norms





EN 388

ANSI ISEA 105

A6

Applications

- Agriculture
- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive

Risk Protection











VENICUT F XTREM CUT - VENICUTF03

INTENSE CUT WORK

Level F cut-resistant glove, ideal for heavy duty work in dry conditions

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE X [0-5] CUT RESISTANCE 4 [0-4] TEAR RESISTANCE 2 [0-4] PIERCE RESISTANCE F [A-F] CUT RESISTANCE ISO 13997

Technical details

| Glove kind | Mechanical glove |
|-------------------------------|---|
| Glove family | Knitted coated glove |
| Mechanical Glove Type | Tricot |
| Coating material and finition | PU |
| Coating Level | Palm Coating |
| Number of Coatings | Single Coated |
| Gauge | 13 |
| Cuff caracteristic | Long cuff |
| Cuff length (mm) | 100 |
| Benefits element | Reach, Vendor pack, Long cuff (>290mm) |
| Color | Gray |
| Size | 6, 7, 8, 9, 10, 11 |
| Type of conditioning | in individual bags |








VENICUT F XTREM CUT - VENICUTF03

INTENSE CUT WORK

Level F cut-resistant glove, ideal for heavy duty work in dry conditions

Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code | | Å | Weight | | | |
|--------------|--------|------|-------------------------------------|---------------|----------------|----|----|---------|------------|------------|------------|
| VECUTF03GR06 | Grey | 06 | VENICUT F XTREM CUT - VENICUTF03 | 3295249255183 | 13295249255180 | 60 | 12 | 4.8 kg | 32.2 cm | 72.2 cm | 16.2 cm |
| VECUTF03GR07 | Grey | 07 | VENICUT F XTREM CUT - VENICUTF03 | 3295249255299 | 13295249255296 | 60 | 12 | 5.1 kg | 32.8 cm | 72.0 cm | 16.0 cm |
| VECUTF03GR08 | Grey | 08 | VENICUT F XTREM CUT - VENICUTF03 | 3295249255305 | 13295249255302 | 60 | 12 | 5.4 kg | 33.0 cm | 72.0 cm | 16.0 cm |
| VECUTF03GR09 | Grey | 09 | VENICUT F XTREM CUT - VENICUTF03 | 3295249255312 | 13295249255319 | 60 | 12 | 5.7 kg | 38.0 cm | 48.8 cm | 20.6 cm |
| VECUTF03GR10 | Grey | 10 | VENICUT F XTREM CUT - VENICUTF03 | 3295249255329 | 13295249255326 | 60 | 12 | 6.1 kg | 38.2 cm | 48.2 cm | 20.8 cm |
| VECUTF03GR11 | Grey | 11 | VENICUT F XTREM CUT - VENICUTF03 | 3295249255336 | 13295249255333 | 60 | 12 | 6.24 kg | 40.5 cm | 51.0 cm | 23.5 cm |



Minimum sales

Box Width

Box Depth

Box Height



