



Zaštita ruku

# VENICUTD04

## DUGOTRAJNI POSLOVI REZANJA

Taktilna rukavica za zaštitu od posjekotina razine D, nepropusna do zapešća, objedinjuje udobnost i preciznost rada, idealna pri radu s uljima ili vodom



### Prednosti



#### Izdržljivost

- Visokokvalitetni premaz produljuje vijek trajanja rukavica i osigurava vrlo dobru zaštitu ruku
- Dulji vijek trajanja zahvaljujući dvostrukom premazu koji je jako otporan na abrazije



#### Higijena

- Zahvaljujući nitrilu ne postoji rizik od izazivanja alergijskih reakcija kod korisnika



#### Performanse

- Nitrilni premaz omogućuje osobama koje rade u okruženju u kojem ima ulja i masti lakše držanje predmeta kojima se rukuje.

### Certifikati i standardi



EN 388  
3 X 4 3 D

ANSI ISEA 105

A4

### Područje upotrebe

- Poljoprivreda
- Javni radovi
- Zgrada
- Pomoćni poslovi / Obrtništvo
- Održavanje
- Kemijska industrija

### Štiti od



Rezanje



Habanje



Perforacija



Zaštita ruku

# VENICUTD04

## DUGOTRAJNI POSLOVI REZANJA

Taktilna rukavica za zaštitu od posjekotina razine D, nepropusna do zapešća, objedinjuje udobnost i preciznost rada, idealna pri radu s uljima ili vodom

### Pojedinosti - Standardi



#### EN388:2016+A1:2018

3 [0-4] OTPORNOST NA ABRAZIJU  
X [0-5] OTPORNOST NA POREZOTINE  
4 [0-4] TEAR RESISTANCE  
3 [0-4] PIERCE RESISTANCE  
D [A-F] CUT RESISTANCE ISO 13997

### Tehnički detalji

Vrsta rukavica	Mehaničke rukavice
Asortiman	Pletene rukavice s oblogom
Vrsta mehaničke rukavice	Pletena
Materijal i završna obrada premaza	Dvoslojni nitril
Razina premaza	Potpuni premaz osim zapešća
Broj premaza	Dvoslojni premaz
Debljina	13
Osnovne značajke manžete	Duga manšeta
Cuff length (mm)	100
Dodatna pogodnost	Reach, Može se prikvačiti, Dugi rukav (>290 mm)
Boja	Crna
Veličina	8, 9, 10, 11
Vrsta pakiranja	Prodaje se u pojedinačnim vrećicama








Safety gloves

# VENICUTD04

## LONG-LASTING CUT WORK

Level D cut-resistant glove, waterproof up to the wrist, combining comfort and finesse of work, ideal in oily or aqueous environments

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUTD04NO08	Black	08	VENICUTD04	3295249211080	13295249211087	60	12	6.7 kg	31.4 cm	68.2 cm	17.6 cm
VECUTD04NO09	Black	09	VENICUTD04	3295249211097	13295249211094	60	12	7.0 kg	30.0 cm	68.0 cm	17.0 cm
VECUTD04NO10	Black	10	VENICUTD04	3295249211103	13295249211100	60	12	6.4 kg	30.0 cm	68.0 cm	17.0 cm
VECUTD04NO11	Black	11	VENICUTD04	3295249211110	13295249211117	60	12	8.1 kg	32.2 cm	69.4 cm	18.2 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height