



VENICUTD04

LONG-LASTING CUT WORK

Hand protection



Specific benefits



Durability

- High-quality coating extends the life of the glove and provides excellent protection for the hand
- Longer service life thanks to a double coating for excellent abrasion resistance



Hygiene

- Nitrile means no risk of allergies for users



Performance

- The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Applications

- Kmetijstvo
- Javna dela
- Stavba
- Second work / craftman
- Vzdrževanje
- Kemična industrija

Certifications and norms



EN 388
3 X 4 3 D

ANSI ISEA 105
A4

Protects against risks



Cutting



Wearing



Perforation



VENICUTD04

LONG-LASTING CUT WORK

Hand protection

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
3 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Coating material and finition	Nitrile double layer
Coating level	Fully coated except wrist
Number of layer	Double Layer
Gauge	13
Cuff characteristic	Long cuff
Cuff length (mm)	100
Benefits element	Reach, Vendor pack, Long cuff (>290mm)
Color	Črna
Size	8, 9, 10, 11
Type of packaging	in individual bags








Safety gloves

VENICUTD04

LONG-LASTING CUT WORK

Level D cut-resistant glove, waterproof up to the wrist, combining comfort and finesse of work, ideal in oily or aqueous environments

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUTD04NO08	Black	08	VENICUTD04	3295249211080	13295249211087	60	12	6.7 kg	31.4 cm	68.2 cm	17.6 cm
VECUTD04NO09	Black	09	VENICUTD04	3295249211097	13295249211094	60	12	7.0 kg	30.0 cm	68.0 cm	17.0 cm
VECUTD04NO10	Black	10	VENICUTD04	3295249211103	13295249211100	60	12	6.4 kg	30.0 cm	68.0 cm	17.0 cm
VECUTD04NO11	Black	11	VENICUTD04	3295249211110	13295249211117	60	12	8.1 kg	32.2 cm	69.4 cm	18.2 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height