



Zaštita ruku

# VENICUTD03

## DUGOTRAJNI POSLOVI REZANJA

Taktilna rukavica za zaštitu od posjekotina razine D, objedinjuje udobnost i preciznost rada, idealna pri radu s uljima ili vodom



### Prednosti



#### Jednostavna upotreba

· Rukavice su taktilne, pa se ne moraju skidati prilikom upotrebe tableta ili pametnog telefona



#### Higijena

· Iznimno je prozirna što smanjuje znojenje  
· Zahvaljujući nitrilu ne postoji rizik od izazivanja alergijskih reakcija kod korisnika



#### Performanse

· Iznimno lagano za optimalnu pokretljivost  
· Nitrilni premaz omogućuje osobama koje rade u okruženju u kojem ima ulja i masti lakše držanje predmeta kojima se rukuje.



#### Kompatibilnost

· Prikladno za upotrebu s dodirnim zaslonima

### Područje upotrebe

- Javni radovi
- Zgrada
- Pomoćni poslovi / Obrtništvo
- Održavanje
- Automobilska
- Rudarska industrija

### Certifikati i standardi



EN 388  
4 X 4 3 D

ANSI ISEA 105

A4

### Štiti od



Rezanje



Habanje



enjoy safety.

Edit 01/11/2024  
www.deltaplus.eu



Zaštita ruku

# VENICUTD03

## DUGOTRAJNI POSLOVI REZANJA

Taktilna rukavica za zaštitu od posjekotina razine D, objedinjuje udobnost i preciznost rada, idealna pri radu s uljima ili vodom

### Pojedinosti - Standardi



#### EN388:2016+A1:2018

4 [0-4] OTPORNOST NA ABRAZIJU  
X [0-5] OTPORNOST NA POREZOTINE  
4 [0-4] TEAR RESISTANCE  
3 [0-4] PIERCE RESISTANCE  
D [A-F] CUT RESISTANCE ISO 13997

### Tehnički detalji

Vrsta rukavica	Mehaničke rukavice
Asortiman	Pletene rukavice s oblogom
Vrsta mehaničke rukavice	Pletena
Materijal i završna obrada premaza	Prianjajući teksturirani nitril
Razina premaza	Premaz dlana
Broj premaza	Jednoslojni premaz
Debljina	15
Osnovne značajke manžete	Duga manšeta
Cuff length (mm)	100
Dodatna pogodnost	Taktilno, Reach, Može se prikvačiti, Dugi rukav (>290 mm)
Boja	Siva-Crna
Veličina	7, 8, 9, 10
Vrsta pakiranja	Prodaje se u pojedinačnim vrećicama



Safety gloves

# VENICUTD03

## LONG-LASTING CUT WORK

Tactile level D cut-resistant glove combining comfort and finesse of work, ideal in oily or aqueous environments

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUTD03GR07	Grey-Black	07	VENICUTD03	3295249196035	13295249210837	60	12	4.8 kg	30.0 cm	68.0 cm	19.0 cm
VECUTD03GR08	Grey-Black	08	VENICUTD03	3295249196059	13295249210844	60	12	5.0 kg	18.8 cm	30.6 cm	68.4 cm
VECUTD03GR09	Grey-Black	09	VENICUTD03	3295249196066	13295249210851	60	12	5.5 kg	30.0 cm	68.0 cm	19.0 cm
VECUTD03GR10	Grey-Black	10	VENICUTD03	3295249196073	13295249210868	60	12	5.6 kg	30.0 cm	68.0 cm	19.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height