



PETRO VE780

WORK WITH PROLONGED CHEMICAL RESISTANCE

Hand protection



Specific benefits

Performance

- Extra thick and long for extra protection of the entire arm

Technologies & labels

 Silicon-free

Applications

- Javna dela
- Stavba
- Vzdrževanje
- Kemična industrija
- Avtomobilska
- Nafta in plin (pridobivanje)

Certifications and norms



EN 388
4 1 3 1 B



EN ISO 374-1
TYPE B



EN ISO 374-5

Protects against risks



Biological chemical particles



Wearing



Chemical



Particules



PETRO VE780

WORK WITH PROLONGED CHEMICAL RESISTANCE

Hand protection

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
3 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
B [A-F] CUT RESISTANCE ISO 13997

Technical details

| | |
|-------------------------------|--|
| Glove kind | Tight glove |
| Glove family | Tight glove supported |
| Tight glove kind | Supported |
| Coating material and finition | PVC grip textured |
| Coating level | Fully coated |
| Number of layer | Single layer |
| Thickness (mm) | 1,30 |
| Gauge | 13 |
| Arm level protection | Forearm cuff (< 400mm) |
| Benefits element | Reach, Silicone free, Long cuff (>290mm) |
| Color | Modra |
| Size | 8, 9, 10 |
| Type of packaging | in individual bags |



Kézvédelem

PETRO VE780

HOSSZAN TARTÓ KÉMIAI ELLENÁLLÓ KÉPESSÉG

Vegyvédelmi kesztyű, a kezelt tárgyak jó tapadásáért, az olajokkal és szénhidrogénekkal szemben ellenálló

Logisztikai információk

| Hivatkozás | Szín | Méret | Leírás | EAN 13 | Karton kód | | | Súly | | | |
|------------|------|-------|-------------|---------------|----------------|-----|----|----------|---------|---------|---------|
| VE780BL08 | Kék | 08 | PETRO VE780 | 3295249026011 | 13295249026018 | 120 | 12 | 22.8 kg | 34.0 cm | 73.0 cm | 36.0 cm |
| VE780BL09 | Kék | 09 | PETRO VE780 | 3295249026028 | 13295249026025 | 120 | 12 | 23.52 kg | 34.0 cm | 73.0 cm | 36.0 cm |
| VE780BL10 | Kék | 10 | PETRO VE780 | 3295249026035 | 13295249026032 | 120 | 12 | 25.68 kg | 34.0 cm | 73.0 cm | 36.0 cm |

PCB

SPCB

Box Width

Box Depth

Box Height