

VE722

WORKS IN OILY ENVIRONMENT

Mechanical glove, ideal for oily and greasy environments



Certifications and norms





EN 388 4 1 2 1 X

Risk Protection





Specific benefits



Hygiene

· Nitrile means no risk of allergies for users



Performance

·The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Mining



VE722

WORKS IN OILY ENVIRONMENT

Mechanical glove, ideal for oily and greasy environments

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE 1 [0-5] CUT RESISTANCE 2 [0-4] TEAR RESISTANCE 1 [0-4] PIERCE RESISTANCE X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Coating material and finition	Nitrile foam
Coating Level	Palm Coating
Number of Coatings	Single Coated
Gauge	13
Benefits element	Reach, Vendor pack
Color	Gray-Black
Size	7, 8, 9, 10
Type of conditioning	in individual bags







VE722

WORKS IN OILY ENVIRONMENT

Mechanical glove, ideal for oily and greasy environments

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code		Å	Weight			
VE722NO07	Grey-Black	07	VE722	3295249177621	13295249177628	120	12	6.0 kg	28.2 cm	56.4 cm	26.0 cm
VE722NO08	Grey-Black	08	VE722	3295249177638	13295249177635	120	12	6.5 kg	28.6 cm	56.8 cm	26.0 cm
VE722NO09	Grey-Black	09	VE722	3295249177645	13295249177642	120	12	6.5 kg	28.8 cm	56.8 cm	25.6 cm
VE722NO10	Grey-Black	10	VE722	3295249177652	13295249177659	120	12	7.5 kg	29.0 cm	57.0 cm	26.4 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height

