

PACAYA CLEAR LYVIZ

SAFETY GLASSES

Protective goggles with removable foam insert, lens with oleo/hydrophobic treatment for intensive use in all conditions



Certifications and norms

Specific benefits



Comfort

- · Increased comfort and optimal sealing
- · Wide frame bringing a better fit for wider facial profile
- · Ample indirect venting on the top and bottom of the lens to reduce moisutre infultration and fogging



Performance

- · Design incorporates brow protection and both side shields and vents.
- · Spherical visor for an extra large field of vision



Durability

· Anti-scratch coating increasing lifespan

Technologies and labels



Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Heavy Industry
- Automotive
- Oil & Gas (Extraction)

Risk Protection



CE

EN170 UV 2C - 1.2

EN166 1 FT / FT

Z87+ U6









PACAYA CLEAR LYVIZ

SAFETY GLASSES

Protective goggles with removable foam insert, lens with oleo/hydrophobic treatment for intensive use in all conditions

Standards - Details

Technical details

Type of eye protection	Glasses
Use	Inside
Gasket	Absorbing Foam
Lens Material	Polycarbonate
Lens treatment	Anti-fogging (classic), Anti-scratch (classic), UV400
Lens based curve	8
Glasses Style	Monoblock
Lens color	Clear
Optical class	1
Lens protection class	1.2
Glasses Characteristics	Curved
Mechanical strength (lens)	F, T
Nose pad material	Polycarbonate
Frame Material	Nylon
Frame Support	Temples
Frame color	Black
Mechanical strength (frame)	F, T
Mechanical strength (2nd frame)	F, T
Temple Benefits	Adjustable width
Temples confort	Flexible tip
Optional Accessories	Cord
Weight (g)	36
Benefits elements	Color perception, Hydrophobe







PACAYA CLEAR LYVIZ

SAFETY GLASSES

Protective goggles with removable foam insert, lens with oleo/hydrophobic treatment for intensive use in all conditions

Logistics information												
Reference	Colour	Size	Designation	EAN13	Box code		Å	Weight				
PACAYLVIN	Clear	-	PACAYA CLEAR LYVIZ	3295249199159	13295249199156	100	10	7.232 kg	30.6 cm	40.0 cm	63.6 cm	

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height