



# PACAYA SMOKE

## LUNETTES À BRANCHES

Head protection



### Specific benefits



#### Comfort

- Ample indirect venting on the top and bottom of the lens to reduce moisture infiltration and fogging
- Gasket brings an increased comfort and optimal sealing
- Wide frame bringing a better fit for wider facial profile



#### Performance

- Design incorporates brow protection and both side shields and vents for an optimal vision in heat conditions
- Spherical visor for an extra large field of vision



#### Durability

- Anti-scratch coating increasing lifespan

### Applications

- Javna dela
- Stavba
- Second work / craftman
- Lahka industrija
- Vzdrževanje
- Avtomobilska

### Certifications and norms



**EN172**

UV 5 - 3.1

**EN166**

1 FT / FT

Z87+ U6 L3

### Protects against risks



Shock



UV / IR



# PACAYA SMOKE

## LUNETTES À BRANCHES

Head protection

### Standards - Details

### Technical details

Type of eye protection	Glasses
Use	Outside
Gasket	Absorbing Foam
Lens matériel	Polycarbonate
Lens treatment	Anti-fogging (classic), Anti-scratch (classic), UV400
Lens based curve	8
Lens support	Monobloc
Lens color	Smoke
Optical class	1
Lens protection class	3.1
Lens characteristic	Curved
Mechanical strength (lens)	F, T
Material nosnega nastavka	Polycarbonate
Frame material	Nylon
Frame	Temples
Frame color	Black
Mechanical strength (frame)	F, T
Mechanical strength (2nd frame)	F, T
Temples benefit	Adjustable width
Temples confort	Flexible tip
Optional accessories	Strap
Weight (g)	36
Benefits elements	Ear protection compatibility








Head protection

# PACAYA SMOKE

## SAFETY GLASSES

Smoked-lens safety glasses with removable foam protection for intensive use

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
PACAYNOFU	Smoke	-	PACAYA SMOKE	3295249137472	13295249137479	100	10	7.2 kg	30.4 cm	63.4 cm	39.8 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height