



PACAYA SMOKE LYVIZ

LUNETTES À BRANCHES

Head protection



Specific benefits



Comfort

- Ample indirect venting on the top and bottom of the lens to reduce moisture infiltration and fogging
- Gasket brings an increased comfort and optimal sealing
- Wide frame bringing a better fit for wider facial profile



Performance

- Design incorporates brow protection and both side shields and vents for an optimal vision in heat conditions
- Spherical visor for an extra large field of vision



Durability

- Anti-scratch coating increasing lifespan

Technologies & labels

LYVIZ™ LYVIZ™

Applications

- Javna dela
- Stavba
- Second work / craftman
- Lahka industrija
- Vzdrževanje
- Avtomobilska

Certifications and norms



EN172

UV 5 - 3.1

EN166

1 FT / FT

Z87+ U6 L3

Protects against risks



Shock



UV / IR



PACAYA SMOKE LYVIZ

LUNETTES À BRANCHES

Head protection

Standards - Details

Technical details

Type of eye protection	Glasses
Use	Outside
Gasket	Absorbing Foam
Lens matériel	Polycarbonate
Lens treatment	Anti-fogging (classic), Anti-scratch (classic), UV400
Lens based curve	8
Lens support	Monobloc
Lens color	Smoke
Optical class	1
Lens protection class	3.1
Lens characteristic	Curved
Mechanical strength (lens)	F, T
Material nosnega nastavka	Polycarbonate
Frame material	Nylon
Frame	Temples
Frame color	Black
Mechanical strength (frame)	F, T
Mechanical strength (2nd frame)	F, T
Temples benefit	Adjustable width
Temples confort	Flexible tip
Optional accessories	Strap
Weight (g)	36
Benefits elements	Hydrophobe








Head protection

PACAYA SMOKE LYVIZ

SAFETY GLASSES

Protective goggles with removable foam insert, lens with oleo/hydrophobic treatment for intensive use in all conditions

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
PACAYLVFU	Smoke	-	PACAYA SMOKE LYVIZ	3295249216757	13295249216754	100	10	7.232 kg	30.6 cm	40.0 cm	63.6 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height