



Head protection

# HELIUM 2 CLEAR

## SAFETY GLASSES

Ultra-lightweight clear-lens safety glasses with flexible arms



### Specific benefits

#### **Comfort**

- Contemporary wrap-around bifocal design offers a close fit and comfortable protection.
- Extra flat temples for optimal comfort and less pressure
- Flex temples for an optimal comfort with less pressure
- Ultra lightweight for a better acceptance in extended period of use

#### **Performance**

- High performance optical class for less visual fatigue
- Wrap-around, uni-lens design offers full panoramic view and excellent side protection.

### Certifications and norms



#### **EN170**

UV 2C - 1.2

#### **EN166**

1 FT / FT

#### **ANSI-ISEA Z87.1 - IMPACT**

Z87+ U6

### Applications

- **Agriculture**
- **Finishing Works/Craftsmanship**
- **Manufacturing/Transformation**
- **Light Industry**
- **Transportation**
- **Storage**

### Risk Protection



Shock



UV / IR



# HELIUM 2 CLEAR

## SAFETY GLASSES

Ultra-lightweight clear-lens safety glasses with flexible arms

Head protection

### Standards - Details

### Technical details

Type of eye protection	Glasses
Use	Inside
Lens Material	Polycarbonate
Lens treatment	Anti-fogging (classic), Anti-scratch (classic), Antistatic
Lens based curve	9.5
Glasses Style	Monoblock
Lens color	Clear
Optical class	1
Lens protection class	1.2
Glasses Characteristics	Curved
Mechanical strength (lens)	F, T
Nose pad material	Polycarbonate
Frame Material	Polycarbonate
Frame Support	Temples
Mechanical strength (frame)	F, T
Mechanical strength (2nd frame)	F, T
Temple Benefits	Extra thin, Extra flat
Temples confort	Non-slip temples, Padded temples, Flexible tip
Optional Accessories	Cord, Pouch
Weight (g)	17
Benefits elements	Antistatic, Color perception



# HELIUM 2 CLEAR

## SAFETY GLASSES

Ultra-lightweight clear-lens safety glasses with flexible arms

Head protection

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
HELI2IN	Clear	-	HELIUM 2 CLEAR	3295249254544	13295249254541	100	10	5.7 kg	32.0 cm	59.0 cm	34.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height