



# HELIUM 2 DETECTABLE

## LUNETTES À BRANCHES

Head protection



### Specific benefits



#### Comfort

- Contemporary wrap-around bifocal design offers a close fit and comfortable protection.
- Extra flat temples for optimal comfort and less pressure
- Flex temples for an optimal comfort with less pressure
- Ultra lightweight for a better acceptance in extended period of use



#### Performance

- Metallically charged blue frame visually detectable by X-ray and magnetism Suitable for the food industry



#### Easy to use

- Anti-slip ends for an increased comfort and very good hold on the head (or on a helmet)

### Applications

- **Proizvodnja / Predelava**
- **Hoteli in restavracije**
- **Čiščenje**
- **Začasno delo**
- **Prevoz**
- **Shranjevanje**

### Certifications and norms



#### EN170

UV 2C - 1.2

#### EN166

1 FT / FT

#### ANSI-ISEA Z87.1 - IMPACT

Z87+ U6 L1.3

### Protects against risks



Shock



UV / IR



# HELIUM 2 DETECTABLE

## LUNETTES À BRANCHES

Head protection

### Standards - Details

### Technical details

Type of eye protection	Glasses
Use	Inside
Lens matériel	Polycarbonate
Lens treatment	Anti-fogging (classic), Anti-scratch (classic), Antistatic
Lens based curve	9.5
Lens support	Monobloc
Lens color	Blue
Optical class	1
Lens protection class	1.2
Lens characteristic	Curved
Mechanical strength (lens)	F, T
Material nosnega nastavka	Polycarbonate
Frame material	Polycarbonate
Frame	Temples
Mechanical strength (frame)	F, T
Mechanical strength (2nd frame)	F, T
Temples benefit	Extra thin, Extra flat
Temples confort	Non-slip temples, Padded temples, Flexible tip
Optional accessories	Strap, Case
Weight (g)	17
Benefits elements	Antistatic, Color perception, Detectable








# HELIUM 2 DETECTABLE

## SAFETY GLASSES

Ultra light blue safety glasses with metallic frames, ideal for the food industry

Head protection

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
HELI2DE	Blue	-	HELIUM 2 DETECTABLE	3295249254520	13295249254527	100	10	5.7 kg	32.0 cm	59.0 cm	34.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height