



PRO5 DAMA S4

INDUSTRY-CONSTRUCTION & CIVIL ENGINEERING

Foot protection



Specific benefits



Comfort

- Comfortable light and soft EVA foam insole



Performance

- Sanitized® protection that reduces the proliferation of fungi and bacteria, providing greater freshness to the user.
- Greater chemical resistance thanks to its high-performance sole.



Easy to use

- Multitrack non-slip sole, oil resistant.

Certifications and norms



ASTM F2413

ASTM F2413-18 I/75, C/75

Technologies & labels



SANITIZED®

Applications

- Kmetijstvo
- Ribolov
- Javna dela
- Stavba
- Second work / craftman
- Proizvodnja / Predelava



PRO5 DAMA S4

INDUSTRY-CONSTRUCTION & CIVIL ENGINEERING

Foot protection

Standards - Details

Technical details

Shoe type	Boot
Upper material and finition	PVC
Upper height size 42 (cm)	33
Safety toe-cap	Stainless steel
Lining material	Textile
Footbed material	EVA
Footbed characteristic	Removable
Outsole material	Nitrile
Outsole finition	Injected
Weight (g per shoe)	900
Size range	22 → 25








Safety footwear

PRO5 DAMA S4

INDUSTRY-CONSTRUCTION & CIVIL ENGINEERING

Boots with toe cap, for heavy work, dielectric, textile lining, waterproof, high quality PVC, average weight 1.8 kg, comfortable, average height 33cm without adjustment.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WMXP5LS4BR22	White-Red	22	PRO5 DAMA S4	7502260643421	7502260643421	10	1	15.256 kg	49.0 cm	49.0 cm	39.0 cm
WMXP5LS4BR23	White-Red	23	PRO5 DAMA S4	7502260643438	7502260643438	10	1	16.296 kg	49.0 cm	49.0 cm	39.0 cm
WMXP5LS4BR24	White-Red	24	PRO5 DAMA S4	7502260643445	7502260643445	10	1	17.156 kg	49.0 cm	49.0 cm	39.0 cm
WMXP5LS4BR25	White-Red	25	PRO5 DAMA S4	7502260643452	7502260643452	10	1	19.256 kg	49.0 cm	49.0 cm	39.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height